AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q65441

Application No.: 09/904,557

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1-12. (canceled).

- 13. (currently amended) A method for determining whether a selected DNA molecule encodes a gene expression region, said method comprising:
 - (A) obtaining RNA transcripts from an organism which comprises said selected DNA molecule.
 - (B) screening said RNA transcripts for an RNA transcript comprising a nucleotide sequence encoded by a selected portion of said selected DNA molecule, wherein the nucleotide sequence of said selected portion of said selected DNA molecule is known, to thereby determine whether said selected portion of said selected DNA molecule encodes a gene expression region, wherein said screening comprises:
 - (i) amplifying the RNA transcripts using a first oligonucleotide primer and a second oligonucleotide primer, wherein said first primer is complementary to a sequence of at least 10 continuous nucleotides located at or near the 3'-end of said selected portion of said selected DNA molecule, and said second primer is homologous to a sequence of at least 10 continuous nucleotides located at or near the 5'-end of said selected portion of said selected DNA molecule, wherein said amplifying comprises:
 - (a) forming a RNA-DNA duplex comprising one of said RNA transcripts and a complementary DNA molecule adhered thereto, said duplex is formed by synthesizing a first DNA molecule complementary to at least a portion of one of said RNA transcripts using (1) said first oligonucleotide primer to prime synthesis of said first DNA molecule, (2)

Attorney Docket No.: Q65441

AMENDMENT UNDER 37 C.F.R. § 1.111 Application No.: 09/904,557

RNA-dependent DNA polymerase and (3) one of said RNA transcripts as a template, to thereby form an RNA-DNA duplex,

- (b) preparing a single-stranded DNA molecule from said RNA-DNA duplex of (a) by hydrolyzing the RNA transcript of said RNA-DNA duplex using ribonuclease H.
- (c) forming a doubled-stranded DNA molecule comprising the singlestranded DNA molecule of (b) and a complementary DNA molecule
 thereto, said doubled-stranded DNA molecule is formed by synthesizing a
 second DNA molecule complementary to at least a part of said singlestranded DNA molecule of (b) using (1) said second oligonucleotide
 primer to prime the synthesis of said second DNA molecule, wherein said
 second primer further comprises an RNA-transcriptable promoter
 sequence at its 5'-end, (2) DNA-dependent DNA polymerase, and (3) the
 single-stranded DNA molecule of (b) as a template, to thereby form a
 double-stranded DNA molecule.
- (d) forming an RNA transcription product from said double-stranded DNA molecule of (c) using RNA polymerase, wherein RNA transcription is primed from the RNA-transcriptable promoter sequence, and
- (e) repeating steps (a) to (d) using said RNA transcription product of(d) as a template for the formation of the RNA-DNA duplex of (a), and
- (ii) detecting an amplification product of (i) encoded by said selected portion of said selected DNA molecule, to thereby screen said RNA transcripts for an RNA transcript that is encoded by said selected portion of said selected DNA molecule, and .
- (C) repeating (B) on at least one selected portion of said selected DNA molecule that is different from, and-non-overlapping with, and adjacent to, the selected portion of (B), wherein when an RNA transcript comprising a nucleotide sequence encoded by a selected portion of said selected DNA molecule is found, said selected DNA molecule is determined to encode a gene expression region.

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q65441

Application No.: 09/904,557

14. (currently amended) A method for determining whether a selected DNA molecule encodes a gene expression region, said method comprising:

- (A) obtaining RNA transcripts from an organism which comprises said selected DNA molecule, and
- (B) screening said RNA transcripts for an RNA transcript comprising a nucleotide sequence encoded by a selected portion of said selected DNA molecule, wherein the nucleotide sequence of said selected portion of said selected DNA molecule is known, to thereby determine whether said selected portion of said selected DNA molecule encodes a gene expression region, wherein said screening comprises:
 - (i) amplifying the RNA transcripts using a first oligonucleotide primer and a second oligonucleotide primer, wherein said first primer is complementary to a sequence of at least 10 continuous nucleotides located at or near the 3'-end of said selected portion of said selected DNA molecule, and said second primer is homologous to a sequence of at least 10 continuous nucleotides located at or near the 5'-end of said selected portion of said selected DNA molecule, and wherein said amplifying is in a reaction solution comprising an oligonucleotide probe that specifically binds to said amplification product, wherein said probe is labeled with an intercalating fluorescence dye and said probe consists of a sequence that is not complementary to either the first or second oligonucleotide primer, and
 - (ii) detecting an amplification product of (i) encoded by said selected portion of said selected DNA molecule by measuring a change in a fluorescence characteristic of the reaction solution after the amplification, to thereby screen said RNA transcripts for an RNA transcript that is encoded by said selected portion of said selected DNA molecule, and
- (C) repeating (B) on at least one selected portion of said selected DNA molecule that is different from, and non-overlapping with, and adjacent to, the selected portion of (B), wherein when an RNA transcript comprising a nucleotide sequence encoded by a selected portion of said selected DNA molecule is found, said selected DNA molecule is determined to encode a gene expression region.

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q65441

Application No.: 09/904,557

15. (previously presented) The method according to claim 14, wherein said probe is complementary to at least a portion of the sequence of said amplification product, and wherein said probe is labeled with an intercalating fluorescence dye that has a differential fluorescence characteristic depending on whether said probe exists in an unbound single-stranded state or in a bound duplex with said amplification product.

16. (canceled).